



STAINLESS STEEL DECORATIVE PROFILES, ALUMINIUM & STAINLESS STEEL JACKETING

at **ASCEND METAL INDUSTRIES LLC** we believe in ascending together. This vision empowers us to work with our partners and customers in a direction which enables us to offer stellar quality products.

Our client's needs are our most important lookout as we constantly aim to find ways to innovate and extend our scope towards the fullfilment of these needs.


Led by a team of highly experienced professionals, we simply aim to produce the best. This pursuit of manufacturing the finest has in return given us a non-comparative leading edge.

CORE PRODUCTS

- » Stainless Steel Pipes
- » Stainless Steel U-Channel & Angles
- » Aluminium & Stainless Steel Jacketing Rolls



Stainless Steel Pipes



Stainless Steel U Channel & Angle



Aluminium & Stainless Steel Jacketing Rolls





STAINLESS STEEL

ROUND PIPE

Grade: 201, 304, 316L **Finish:** 2B, Grit: 320 / 400 / 600 / 800

SIZE (mm) D	SIZE (inch)	Thickness					
SIZE (MIM) D	SIZE (ITICIT)	1 mm	1.2 mm	1.5 mm	2 mm	3 mm	4 mm
12.7	1/2"	~	~	~			
15.9	5/8"	~	~	~			
19	3/4"	~	✓	✓			
25.4	1"	~	~	~	✓		
28.7	7-1/8"	~	✓	~	~		
31.8	7-1/4"	~	✓	~	~	~	
38.1	7-1/2"	~	✓	✓	~	~	
47.8	1-7/8"	~	~	~	~	✓	~
50.8	2"	~	~	~	~	✓	~
57.3	2-1/4"		~	~	~	✓	~
63.5	2-1/2"		~	~	~	✓	~
76.2	3"			~	~	✓	~
95.5	3-3/4"			✓	~	~	~
101.6	4"			~	~	✓	~
127.0	5"				✓	✓	~





STAINLESS STEEL

SQUARE BOX

Grade: 201, 304, 316L **Finish:** 2B, Grit: 180 / 400 / 600 / 800

A					1. 28, 0776. 7007	,00,000,000	
SIZE (mm) A*B	Thickness						
SIZE (ITIII) A B	1 mm	1.2 mm	1.5 mm	2 mm	3 mm	4 mm	
10*10	~	~	~				
12*12	~	✓	~				
15*15	~	✓	~				
20*20	~	✓	~				
25*25	~	✓	~	~			
30*30	~	✓	~	~	~		
40*40	~	✓	~	✓	✓		
50*50		✓	~	~	~	~	
60*60			~	~	✓	✓	
80*80				~	~	~	
100*100				~	~	~	



STAINLESS STEEL

RECTANGLE BOX

Grade: 201, 304, 316L **Finish:** 2B, Grit: 180 / 400 / 600 / 800

					,		
SIZE (mm) A*B	Thickness						
	1 mm	1.2 mm	1.5 mm	2 mm	3 mm	4 mm	
10*20	~	✓	~				
15*30	~	✓	~				
20*40	~	✓	~	✓			
10*50	~	~	~	~			
25*50		✓	~	✓			
30*60		✓	~	~			
20*80		~	~	✓	~		
40*80			~	~	~	~	
50*100			~	✓	~	~	
50*120				~	~	~	
50*150				✓	~	~	
	-		<u> </u>			<u> </u>	





STAINLESS STEELROUND GROOVE PIPE

Grade: 201, 304, 316L **Finish:** 2B, Grit: 320 / 400 / 600 / 800

SIZE (mm) D	Groove	Thickness		
SIZE (ITIITI) D	G (mm)	1.5 mm	2 mm	
50.8	15*15 20*20	✓	~	
63.5	20*20	✓	✓	
76.2	20*20	✓	~	



STAINLESS STEEL

SQUARE GROOVE PIPE

Grade: 201, 304, 316L **Finish:** 2B, Grit: 180 / 400 / 600 / 800

	SIZE (mm) A*B	Groove G (mm)	Thickness	
			1.5 mm	
	40*40	15*15	✓	



STAINLESS STEEL

U-CHANNEL

Grade: 201, 304, 316L Grit: 600 / 800

SIZE (mm) A*B	Thickness				
	0.8 mm	1 mm	1.2 mm		
10*10	✓	✓	✓		
15*15	✓	✓	✓		
20*20	✓	✓	✓		
50*50	✓	✓	✓		




STAINLESS STEEL

EQUAL ANGLE

Grade: 201, 304, 316L Grit: 600 / 800

SIZE (mm) A*B		Thickness				
SIZE (ITIITI) A B	0.8 mm	1.2 mm	1.5 mm	2 mm		
20*20	✓	✓	✓	✓		
30*30	✓	✓	✓	✓		
50*50	✓	✓	✓	✓		



Slitting is a process which transforms a wide width coil to multiple narrow width coils. It is as per the clients requirements to which we can produce narrow width coils of a minimum 20mm all the way upto any width less than 1250mm. We can slit material upto 4mm thick.

Our Focus is to ensure we produce excellent slits as per the customers requirements.

CAPABILITIES

Thickness	Width
1 - 4mm	1250mm







JACKETING ROLL

We Manufacture Stainless Steel & Aluminium Jacketing Roll with moisture barrier film of polysurlyn or kraft paper.

A coating of moisture barrier applied on the Jacketing roll results in a high resistance to atmospheric corrosion making the use of Jacketing Rolls ideal, even in marine, chemical, industrial environments as well as in food/beverage processing industries. It protects the insulation and underlying pipe/vessel from physical damage, UV exposure, corrosive atmosphere and water.

This greatly reduces overall cost through an incredibly long product service life and has no maintenance costs.



SPECIFICATION	ALUMINIUM	STAINLESS STEEL			
Alloy	1050, 1060, 3003	201, 304, 316L			
Thickness	0.4 / 0.5 / 0.6 / 0.7 / 0.8 / 0.9 / 1.0 mm	0.4/0.5/0.6/0.7/0.8 mm			
Width	914 mm (3') & 1220 mm (4')				
Length	50' (15 m) / 100' (30 m) / 200' (60 m) / 300' (90 m)				

Customized widths & Lengths available upon request

